ಶ್ರೀ ಅಜೀಜ್ ಸೇಟ್ .—ಚೆಕ್‌ಸ್ಟೈಲ್ ಮಿಲ್ಲಿಂಗಳು ಮೈಸೂರು ಕೈಟಿನಲ್ಲಿರುವ ವೇಜ್ ಬೋರ್ಡ್ ತಿಳಿಸಿರುವಂತೆ ಬೇಸಿಕ್ ಪೇ ಹಾಗೂ ಡಿ ಎ ಇತ್ಯಾದಿಗಳನ್ನು ಕೊಡಲು ರೆಕಮೆಂಡೇಷನ್‌ಗಳನ್ನು ಕಳುಹಿಸಿದ್ದರೂ ಆದರಂತೆ ಇದುವರೆಗೆ ಇಂಪ್ಲಿಮೆಂಟ್ ಮಾಡಿಲ್ಲ. ವೇಜ್ ಬೋರ್ಡಿನವರು ಸ್ಕಿಲ್ಡ್ ಸೆಮಿ ಸ್ಕಿಲ್ಡ್ ಇವರ ಪೇ ಹೇಗಿರ ಬೇಕೂಎಂದು ತಿಳಿಸಿದೆ, ಇದೇ ರೀತಿ ಇತರ ವೇತಗಳನ್ನೂ ತಿಳಿಸಿದೆ. ಇದರಲ್ಲಿ ಬಹು ವಿಧವಾದ ವ್ಯತ್ಯಾಸಗಳು ಇರುವುದರಿಂದ ಇವನ್ನೆಲ್ಲಾ ಸೂಕ್ತ ರೀತಿಯಲ್ಲಿ ಸರಿಪಡಿಸಲು ಸಹಾಯವಾಗುವಂತೆ ಸರಕಾರ ಈಗ ಸ್ಟಾಂಡರ್‌ಡೈಸೇಷನ್ ಕಮಿಟಿ ಎಂದು ಮಾಡಬೇಕೆಂದು ತೀರ್ಮಾನ ಮಾಡಿ ಇದರ ಮೂಲಕ ಎಲ್ಲರಿಗೂ ಅನುಕೂಲವಾಗುವಂತೆ ಮಾಡಬೇಕೆಂದು ಇದ್ದೇವೆ.

ಶ್ರೀ ಕೆ. ಶ್ರೀರಾಮುಲು.—ಮದ್ರಾಸು, ಬೊಂಬಾಯಿ, ಅಹಮ್ಮದಾಬಾದು ಹಾಗೂ ಕಾನ್ಪುರ ಇಲ್ಲೆಲ್ಲಾ ಸ್ಟಾಂಡರ್ಡ್ ವೇಜಸ್‌ಗಳನ್ನು ಕೊಡಬೇಕೆಂದು ತೀರ್ಮಾನವಾಗಿದೆ. ಇದೇ ರೀತಿ ನಮ್ಮ ರಾಜ್ಯ ದಲ್ಲೂ ತಂದರೆ ಇಲ್ಲಿ ತಾವು ಹೇಳುವಂತೆ ಮಾಡುವ ಕಮಿಟಿ ಅನಗತ್ಯವಲ್ಲವೇ ?

ಶ್ರೀ ಅಜೀಜ್ ಸೇಟ್.—ವೇಜ್ ಬೋರ್ಡುಗಳು ಮಾಡುವುದು ಬರೀ ರೆಕಮೆಂಡೇಷನ್‌ಗಳು. ಇದು ಮಾನ್ಯ ಸದಸ್ಯರಿಗೂ ಗೊತ್ತಿರುವ ವಿಷಯ. ಇದರಂತೆ ಇಂಪ್ಲಿಮೆಂಟು ಮಾಡಲು ಮಿಲ್‌ನವರು ಒಪ್ಪದೆ ಇದ್ದುದರಿಂದ ನಮ್ಮ ಇಲಾಖೆಯವರು ಅವರಿಗೆಲ್ಲ ಹೇಳಿ ಒಪ್ಪುವಂತೆ ಮಾಡುವ ಪ್ರಯತ್ನಗಳನ್ನು ಮಾಡಿದರೂ ಅನುಕೂಲವಾಗಲಿಲ್ಲ. ಇದಕ್ಕಾಗಿ ಸರಕಾರವೇ ಇರುವ ವ್ಯತ್ಯಾಸಗಳನ್ನು ಸರಿಪಡಿಸಲು ಅನುಕೂಲವಾಗಲಿ ಎಂದು ಸ್ಟಾಂಡರ್‌ಡೈಸೇಷನ್ ಕಮಿಟಿ ಎಂದು ಮಾಡುತ್ತಿದ್ದೇವೆ. ಇದನ್ನು ಯಾವ ಕಾರ್ಮಿಕ ನಾಯಕರೂ ಮಾಡಬೇಕೆಂದು ಹೇಳಲಿಲ್ಲ ಸರಕಾರವೇ ತಾನೇ ತಾನಾಗಿ ಇರುವ ಡಿಸ್‌ಪ್ಯಾರಿಟಿ ಗಳನ್ನು ಕಡಿಮೆ ಮಾಡಲು ಇಂತಹ ಒಂದು ಕಮಿಟಿ ಮಾಡಬೇಕೆಂದು ಇದೆ.

ಶ್ರೀ ಕೆ. ಶ್ರೀರಾಮುಲು.—ನನ್ನ ಪ್ರಶ್ನೆಯನ್ನು ಮಾನ್ಯ ಸಚಿವರು ಸರಿಯಾಗಿ ತಿಳಿದುಕೊಳ್ಳಲಿಲ್ಲ, ಬೊಂಬಾಯಿ, ಕಾನ್‌ಪುರ, ಅಹಮ್ಮದಾಬಾದು ಹಾಗೂ ಮದ್ರಾಸು ಪ್ರಾಂತಗಳಲ್ಲಿ ಇಲ್ಲಿರುವ ಟೆಕ್ನಿಕಲ್ ಎಕ್ಸ್‌ಪರ್ಟುಗಳು ಇಲ್ಲಿ ವೇತನಗಳು ಇವ್ಕೇ ಇರಬೇಕು ಎಂದು ಈಗಾಗಲೇ ತೀರ್ಮಾನ ಮಾಡಿರತಕ್ಕ ವಿಷಯ. ಇಲ್ಲಿ ವೇಜ್ ಬೋರ್ಡುಗಳಲ್ಲಿನ ಟೆಕ್ನಿಕಲ್ ಎಕ್ಸ್‌ಪರ್ಟುಗಳು ಮಾಡಿರತಕ್ಕ ಶಿಫಾರಸುಗಳನ್ನು ಕಾನೂನು ಬದ್ಧವಾಗಿ ಮಾಡಲು ಸರಕಾರ ಪ್ರಯತ್ನ ಮಾಡುವುದೇ ಎಂದು ನಾನು ಕೇಳುವುದು. ಇದರ ಬಗ್ಗೆ ಕಾರ್ಮಿಕ ನಾಯಕರೂ ಹಾಗೂ ಇಂಟಕ್ ಸಭೆಯಲ್ಲಿ ಚರ್ಚೆಯಾಗಿ ಮಾನ್ಯ ಮಂತ್ರಿಗಳ ಗಮನಕ್ಕೆ ಕೂಡ ತರಲಾಗಿದೆ, ಹೀಗಿರುವಾಗ ಇಲ್ಲಿ ಸಚಿವರು ನಮ್ಮ ಮೇಲೆ ಹೀಗೆ ಮಾತನಾಡಬಾರದು.

ಶ್ರೀ ಅಜೀಜ್ ಸೇಟ್.—ನಾನು ಹೇಳುತ್ತಿರುವುದು ಸ್ಟಾಂಡರ್‌ಡೈಸೇಷನ್ ಕಮಿಟಿ ಎಂದು ಪ್ರಾರಂಭ ಮಾಡಬೇಕೆಂದು ಇದೆ. ಇದರ ರಿಪೋರ್ಟು ಬಂದ ನಂತರ ಯಾವ ರೀತಿ ಮಾಡಬಹುದು ಅದನ್ನು ವಿಚಾರ ಮಾಡೋಣ.

ಅಧ್ಯಕ್ಷರು.—ಇಲ್ಲಿಗೆ ಪ್ರಶ್ನೋತ್ತರ ವೇಳೆಯಾಯಿತು.

QUESTIONS FOR ANSWERS ON THE DAY (BUT NOT TAKEN UP)

LOANS TO N.G.O's FOR HOUSE BUILDING/PURCHASE/REPAIRS

107. Sri R.S. Patil (Ramadurga).—

Will the Minister for Public Works and Electricity be pleased to state.—

(a) the amount placed at the disposal of the Chief Engineer, (C. and B.) and the Chief Engineer, Irrigation and Public Health during the years 1971-72 and 1972-73, for advancing loans to the N.G.Os. for House Building, House Purchase and House repairs ;

(*b*) the number of applications received in these offices, requesting for loans, from 1-4-1971 to 31-12-197,? (Details of applications datewisemay kindly be furnished) :—

(*c*) the amount sanctioned ;
(a) towards House Repairs,
(b) towards House construction,
(c) towards House purchase.

(*d*) the quantum of advance sanctioned to ;
(a) officials belonging to Old Mysore,
(b) officials belonging to Ex-Bombay State,
(c) officials belonging to Ex-Hyderabad State,
(d) officials belonging to Ex-Madras State ?

Sri H. M. Channabasappa.—Minister for Public Works and Electricity.—

(*a*) to (*d*) The information is not readily available and replies will be placed on the Table of the House when it is ready.

FEEDER CHANNEL TO SAVANUR MOTI TANK

262. **Sri M. M. Nadaf** (Shiggaon).—

Will the Minister for Public Works and Electricity be pleased to state.—

(*a*) whether the estimate for the construction of a feeder channel to Savanur Moti Tank in Savanur, Dharwar District has been prepared and sanctioned ;

(*b*) if so, the extent of area that will come under Irrigation after feeder channel is constructed ;

(*c*) the steps taken to complete the work of construction of the above feeder channel and the time within which it will be completed ?

SRI H. M. CHANNABASAPPA.—(Minister for Public Works and Electricity)

(*a*) Plans and estimate are prepared but the estimate is not yet sanctioned.

(*b*) The feeder channal is proposed for supplementing the water for the existing atchkat only and therefore no additional atchkat is proposed.

(*c*) Action is being taken to sanction the estimate and to take up and complete the work as early as possible.